



ILL Child Policy

Purpose

The Illness and Health policy of our campus are carefully defined, without neglecting the health of the children in our care. Children who are ill should not be brought to the campus, as our day is too demanding for a sick child. A child who is unwell is also more prone to infection and communicable disease as young children are still building up immunities. Any child who falls sick at school or home should be symptom free for 48 hours before they come back to school. Parents must keep child at home who suffers from a fever, vomiting, diarrhea or nausea, pink eye.

A good general rule is: if the child is too ill to participate in the outdoor part of the program, then they are too ill to be at the campus.

- A child who is sick is not to be in attendance at the Angus Valley Montessori
- Any bedding used for the sick child must be laundered and any mats washed and sanitized.
- You must provide a doctor's note on readmission after five (5) days of illness.

Child separated from other children:

If a child becomes ill during the day (fever, etc.), parents will be notified and may be asked to remove their child immediately, the symptoms will be log in the Symptom Observation Form and be filed in the child's file.

If a child is sick and needs to be sent home, he or she will be placed in an area to rest until someone arrives to pick them up. This area will be separate from the other children where they can be comfortable and lie down if they wish. An adult who works within school will be with the sick child until the parents or guardian arrives.

Daily Observations:

Angus Valley Montessori staff members will not admit any children showing signs of illness upon arrival at the campus. Symptoms include: Vomiting, Diarrhea, Rash, Hives, Fever, Foreign Matter in the eyes or Ears, Head Lice, or Ring Worm. A log will be maintained to document any child with any illness. Any sign of injury / abuse will be documented in the class logbook.

Angus Valley Montessori shall contact the **York** Public Health to reported cause of communicable disease.

- Pertussis (whooping cough)
- Measles (rubeola, red measles)
- Rubella (German measles)
- Mumps
- Meningitis (Hib, other)
- Hepatitis A
- Tuberculosis
- Gastroenteritis (giardiasis, shigellosis, *E. coli*, *Campylobacter*, other)
- Streptococcal infections (strep throat, scarlet fever, rheumatic fever)



- Food poisoning
- Influenza
- Hepatitis C
- Human Immunodeficiency Virus (HIV, AIDS)
- Poliomyelitis
- Diphtheria
- Hepatitis B

If a child has had a reportable communicable illness, a doctor's note stating permission for child to return to the campus is necessary.

In accordance with The *Child Care and Early Years Act, 2014 (CCEYA)* a fully documented Immunization record and an emergency consent form must be presented on the first day of enrolment. No child will be admitted to the campus until we have completed forms submitted to us.

Universal precautions

Universal precautions are a set of strategies developed to prevent transmission of blood borne pathogens. The focus of universal precautions is on blood and selected body fluids.

Cover cuts: If you have cuts or open sores on your skin, cover them with a plastic bandage.

Wear gloves: If there is any risk of coming into contact with blood or other body fluids, wear latex gloves. Gloves should only be worn once and disposed of in a plastic garbage bag.

Wash hands: Wash your hands with soap and hot water for at least 20 seconds after you have had contact with blood or other body fluids, after going to the bathroom, before preparing or eating food, and after removing latex gloves. Use hand lotion to help keep your hands from becoming chapped or irritated. Intact skin is your first defense against infection.

Discard garbage: Use caution when disposing of garbage and other waste that may contain infected materials. Discard material soiled with blood or other body fluids in a sealed plastic bag.

Clean up: Spills of blood or other body fluids should be cleaned up with a fresh mixture of household bleach (1 part) and water (9 parts). Paper towels should be used and disposed of in a plastic garbage bag. Remember to wear latex gloves during clean-up.

Wash clothes: Soiled items should be stored in sealed plastic bags. Wash soiled clothing separately in hot soapy water and dry in a hot dryer.

Exclusion of ill Children

All ill children who need to be quarantined will be placed in the office under the care of the supervisor/administrator until the parent can pick them up.



Outbreak

HOW TO KNOW WHEN THERE IS AN OUTBREAK

- An outbreak occurs when there are two or more related cases (in children and/or staff) with similar signs and symptoms of an infection or illness, or two or more laboratory confirmed cases, or when illness rate exceeds the norm in the campus within a short period of time. (Child Care Centre Pre-Outbreak Checklist)

Typical symptoms of enteric illness are:

- Diarrhea
- Bloody diarrhea
- Vomiting
- Fever
- Stomach cramps
- General irritability
- Malaise
- Headache

Early detection of signs and symptoms through observations of children's health, as well as good record keeping are crucial to the recognition and control of an outbreak.

Outbreak Routines:

- Increase hand hygiene
- Enhance cleaning and disinfecting
- Exclude ill children, staff and volunteers from the campus until symptoms resolved.
- Suspend all sensory play.
- Use gloves, masks, and/ or eye protection.

Confirmed Outbreak – all above measures and :

- Post outbreak signs at all entrances

Angus Valley Montessori Schools Inc ("Angus Valley Montessori") will notify (York Health Department) at the numbers below if an outbreak is suspected. Refer to your public health guidance. Review outbreak Control Package for community Setting/ routine surveillance illness sheets daily.

Monday to Friday, between 8:00am and 5:00pm (905) 830-4444 ext. 3500

After hours including weekends and holidays (905) 953-6478

Exclusion of ill Individuals

All ill children who need to be quarantined will be placed in the office under the care of the supervisor/administrator until the parent can pick them up.



Communicable Disease Guidelines for exclusion of children at AVMS:

- Children rectal or oral temperature equal to or greater than 100° F.
- Diarrhea, defined as an increased number of stools compared to the child's normal pattern with increased stool water and/or decreased form.
- Vomiting illness with two or more episodes of vomiting in the previous 48 hours.
- Mouth sores associated with an inability of the child to control his/her saliva.
- Rash with fever or behavior change.
- Infected eyes with discharge, until 48 hours after treatment started by physician.
- Infestation (e.g., scabies, head lice, pinworm), until after first treatment with a medicated product.
- Impetigo, until 48 hours after antibiotic treatment has been started.
- Strep throat, until 48 hours after antibiotic treatment has been started.
- Ringworm infection, until after medication started.
- Chickenpox, until one week after the onset of rash, or until all lesions have dried and crusted.

Exclude ill child/ children, staff, volunteers and visitors until they are 48 hours symptom free or as directed by public health.